

EXTREME STRIPP



SUPER CONCENTRATED WAX STRIPPER

- Ideal in more extreme conditions
- Works on all finishes
- Ideal in an overcoating situation

Concentrated wax stripper for removing old layers of metal cross-linked acrylic wax. Ideal for extreme conditions and effective also at low concentrations.

? HOW TO USE

Dilute the product in the single disc machine tank to the recommended concentration. Apply the solution directly to the floor using the single disc machine and use the green or black abrasive disc (depending on the floor). Carefully wet vacuum and leave to dry. Remove any streaks or water marks with a damp mop and if necessary and for wax layering, rinse using a single disc machine.











EXTREME STRIPP

DILUTION

With single disc machine: 5% - 10% (500 ml to 1 L in 10 L of water) Manually: 10% - 20% (1 L - 2 L every 10 L of water).

FEATURES

Product yields (m^2/lt) :

| Operation category | Conc.% | Product yield (m ² /lt) |
|--------------------|---------|------------------------------------|
| FLOOR STRIPPING | 5 - 10% | 40 -80 |

Volume (It) of pure product diluted according to suggested dilutions.

| ଞ୍ଜ TEC | HNICAL DATA | | | | |
|---------|---|----------------|----------------|----------------|-----------------|
| COLOR | T: Clear liquid : Yellow ME: Pine 15% | | | | |
| PH | Active substance [%] | Density (g/ml) | Pressure (bar) | Viscosity (cP) | Total dry resid |
| > 13,0 | 35 ± 2 | 1.05 | | | |

UWARNINGS

Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid breathing vapours. Wear eye protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contains 2-AMINOETHANOL, SODIUM METASILICATE PENTAHYDRATE, ISOTRIDECANOL ETHOXYLATED, SODIUM HYDROXIDE.



NOTES

Do not use on linoleum. Before use, please always refer to the Technical Data Sheet and the Safety Data Sheet, with the exposure scenario, of the product. Use the PPE specified in the Safety Data Sheet. Sutter Professional cannot be considered liable for any damage due to an improper product use. **Only for professional use. Safety data sheet available on request.**

SUTTER INDUSTRIES S.p.A

Località Leigozze 1, 15060 Borghetto Borbera - Tel. +39 0143 631.1 www.sutterprofessional.com- info@sutterprofessional.com







EXTREME STRIPP

| 🗂 PACKAGIN | G | | |
|------------|------|----------|--------|
| Code | Size | Quantity | Pallet |
| 4304 | Kg 5 | 4 | 9x4=36 |

SUTTER INDUSTRIES S.p.A Località Leigozze 1, 15060 Borghetto Borbera - Tel. +39 0143 631.1 www.sutterprofessional.com- info@sutterprofessional.com Rev. 15/07/2024



