

Safety Data Sheet dated 14/12/2022, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: RUST ACTION

UFI: 1KC3-E082-A00Y-CMN3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Additive for laundry.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eve Dam. 1. Causes serious eve damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Contains



HYDROXYETHYLIDENEDIPHOSPHONIC ACID OXALIC ACID 2-AMINOETHANOL

Product contents:

phosphonates 5 - 15 % cationic surfactants 5 - 8 %

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 7% - < 10% HYDROXYETHYLIDENEDIPHOSPHONIC ACID

REACH No.: 01-2119510391-53, CAS: 2809-21-4, EC: 220-552-8

2.16/1 Met. Corr. 1 H290

3.1/4/Oral Acute Tox. 4 H302

3.3/1 Eve Dam. 1 H318

>= 7% - < 10% OXALIC ACID

REACH No.: 01-2119534576-33, CAS: 6153-56-6, EC: 205-634-3

3.1/4/Oral Acute Tox. 4 H302

3.1/4/Dermal Acute Tox. 4 H312

3.3/1 Eye Dam. 1 H318

>= 3% - < 5% 2-AMINOETHANOL

REACH No.: 01-2119486455-28, Index number: 603-030-00-8, CAS: 141-43-5, EC: 205-483-3

3.2/1B Skin Corr. 1B H314

3.3/1 Eye Dam. 1 H318

3.1/4/Oral Acute Tox. 4 H302

3.1/4/Inhal Acute Tox. 4 H332

3.1/4/Dermal Acute Tox. 4 H312





3.8/3 STOT SE 3 H335

4.1/C3 Aquatic Chronic 3 H412

Specific Concentration Limits: C >= 5%: STOT SE 3 H335

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.



OXALIC ACID - CAS: 6153-56-6

ACGIH - TWA(8h): 1 mg/m3 - STEL: 2 mg/m3 - Notes: URT, eye, and skin irr

2-AMINOETHANOL - CAS: 141-43-5

EU - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm - Notes: Skin

ACGIH - TWA(8h): 7.5 mg/m3, 3 ppm - STEL: 15 mg/m3, 6 ppm

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

Worker Industry: 12 mg/m3 - Consumer: 2.95 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 13 mg/kg - Consumer: 1.7 mg/kg - Exposure: Human Oral -

Frequency: Long Term, systemic effects

Worker Industry: 34 mg/kg - Consumer: 17 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

OXALIC ACID - CAS: 6153-56-6

Worker Industry: 0.69 mg/cm2 - Exposure: Human Dermal - Frequency: Short Term,

local effects

Worker Industry: 2.29 mg/kg - Exposure: Human Dermal - Frequency: Long Term,

systemic effects

Worker Industry: 350 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 3.3 mg/m3 - Consumer: 2 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term (repeated)

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic

effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

Target: Marine water - Value: 0.007 mg/l

Target: Fresh Water - Value: 0.068 mg/l

Target: Marine water sediments - Value: 13.6 mg/kg

Target: Freshwater sediments - Value: 136 mg/kg

Target: Soil (agricultural) - Value: 10 mg/kg

Target: Microorganisms in sewage treatments - Value: 40 mg/l

OXALIC ACID - CAS: 6153-56-6

Target: Marine water - Value: 0.01622 mg/l

Target: Fresh Water - Value: 0.1622 mg/l

Target: Air - Value: 1.622 mg/l

Target: Microorganisms in sewage treatments - Value: 1550 mg/l

2-AMINOETHANOL - CAS: 141-43-5

Target: Marine water - Value: 0.0085 mg/l

Target: Fresh Water - Value: 0.085 mg/l

Target: Air - Value: 0.028 mg/l

Target: Marine water sediments - Value: 0.0434 mg/kg

Target: Soil (agricultural) - Value: 0.0367 mg/kg

Target: Freshwater sediments - Value: 0.434 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

8.2. Exposure controls



Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	
Colour:	colorless/yello	Visual	
	W		
Odour:	Technical	Olfactory	Absence of fragrances
Odour threshold:	Evident	Olfactory	
Melting point/freezing	Not Relevant		Parameter not relevant for the
point:			type of product
Boiling point or initial	>= 100 °C		Estimated value on chemical /
boiling point and boiling			physical properties of
range:			components
Flammability:	non-flammabl		Estimated parameter on
	е		chemical / physical properties of
			components.
Lower and upper explosion	Not Relevant		Parameter not relevant for the
limit:			type of product
Flash point:	>60 ° C		Estimated value on chemical /
			physical properties of
			components
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the
			type of product
Decomposition	Not Relevant		Parameter not relevant for the
temperature:			type of product
pH:	<2,0	Instrumental	
		control	
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not
			viscous mixture.



Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient n-octanol/water (log value):	<1000		Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Density and/or relative density:	1.085 g/ml	Instrumental control	
Relative vapour density:	Not Relevant		Parameter not relevant for the type of product

Particle characteristics:

Particle size (average and	Not Relevant	 Parameter not relevant for the
range)		type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2.

In normal conditions no dangerous reactions of the mixture

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

RUST ACTION

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met



b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit = 1100 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 7940 mg/kg - Source: OCSE 402

OXALIC ACID - CAS: 6153-56-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg

2-AMINOETHANOL - CAS: 141-43-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg - Source: OECD 401

Test: LD50 - Route: Skin - Species: Rabbit = 2504 mg/kg - Source: OECD 402

Test: LC50 - Route: Inhalation - Species: Rat > 1.3 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

h) STOT-single exposure:

It can irritate the respiratory tract.

2-AMINOETHANOL - CAS: 141-43-5

LD50 (RAT) ORAL: 2100 MG/KG LD50 (RABBIT) SKIN: 1000 MG/KG

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%



SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

RUST ACTION

Not classified for environmental hazards

Based on available data, the classification criteria are not met

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 527 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: LC50 - Species: Fish = 368 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Algae = 7.2 mg/l - Duration h: 96 - Notes:

Pseudokirchneriella subcapitata

OXALIC ACID - CAS: 6153-56-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 160 mg/l - Duration h: 48

Endpoint: EC50 - Species: Daphnia = 162.2 mg/l - Duration h: 48 - Notes: Daphnia magna

2-AMINOETHANOL - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 984 - Notes: Oryzias latipes Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504 - Notes: Daphnia magna

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-AMINOETHANOL - CAS: 141-43-5

Biodegradability: Readily biodegradable - Test: OECD 301A - Duration: 21 days - Notes: 90%

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-AMINOETHANOL - CAS: 141-43-5

Bioaccumulation: Slightly bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture.



Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 1760 IATA-UN Number: 1760 IMDG-UN Number: 1760

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID,

N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID,

2-AMINOETHANOL)

IATA-Shipping Name: CORROSIVE LIQUID,

N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID,

2-AMINOETHANOL)

IMDG-Shipping Name: CORROSIVE LIQUID,

N.O.S.(HYDROXYETHYLIDENEDIPHOSPHONIC ACID,

2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

IMDG-EmS: F-A , S-B

14.6. Special precautions for user



ADR-Subsidiary hazards: - ADR-S.P.: 274

ADR-Transport category (Tunnel restriction code): E

IATA-Passenger Aircraft: 852
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 856
IATA-S.P.: A3 A803
IATA-ERG: 8L
IMDG-S.P.: 223 274

IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A SW2

IMDG-Segregation:

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EĆ (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None



SECTION 16: Other information

Full text of phrases referred to in Section 3:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

56710CLP/2 Page n. 12 of14



EC0/10/20/50/ Effective concentration, for 0/10/20/50/100 percent of test population.

100:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC0/10/20/50/ Lethal concentration, for 0/10/20/50/100 percent of test population.

100:

LD0/10/20/50/ Lethal dose, for 0/10/20/50/100 percent of test population.

100:

NOEC: No Observed Effect Concentration

NOAEL(R)/N No Observed Adverse Effect Level(Repeated)/Concentration

OAEC:

OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.



ANNEX I

PROFESSIONAL TRIGGER PRODUCT - DETERGENT FOR HARD SURFACES

Title of exposure scenario			
Detergent for general cleaning: Manual process.			
Use description			
Sector Use	SU22 – Professional use		
Product Category	PC35 – Washing and cleaning products (including solvent based products)		
Description of activities/process considered o	n exposure scenario.		
If required, transfer product from canister to trigger bottle.			
Use following the use instruction as specified on the	he label.		
Leave on.			
Rinse, if necessary.			
Frequency and duration			
Use phase	Daily, depending on room size and room dirty conditions.		
Relevant limit values of ingredients, if available, a	re stated in section 8 of the SDS.		
Physical appearence and concentration			
Liquid. To diluite or ready to use.			
In section 2 of the SDS of product and on the labe			
	sification and on chemical/physical properties stated in		
section 9 of the SDS of product.			
Use conditions			
Room temperature			
Good general ventilation at workplace is sufficient.			
Protection			
Avoid spray inhalation.			
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is		
information on PPE.	supposed.		
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.		
No open flame.	Do not use in combination with other products		
	Wash hand after use.		
In case of accidental release: dilute with water and dry.			
See section 6 of the SDS in case of accidental release			
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene			
practices as specified in section 7 on the SDS. Environmental measures			
See section 6 of the SDS in case of accidental release			
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.			
See section 13 of the SDS for disposal considerations.			
See Section 13 of the SDS Tot disposal considerations.			

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment